

afety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 02/06/2015 Date of issue: 02/06/2015

Version: 1.0

### **SECTION 1: IDENTIFICATION**

1.1. Product Identifier Product Form: Mixture Product Name: Rinse Aid

1.2. Intended Use of the Product

**Use of the substance/mixture:** Rinse aid in commercial dish washer. For professional use only.

1.3. Name, Address, and Telephone of the Responsible Party

Company

Atlanta Super Source, Inc.

3655 Kennesaw 75 Parkway, Suite 100

Kennesaw, GA 30144 770-423-0006

1.4. Emergency Telephone Number

Emergency Number : 800-424-9300 CHEMTREC

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the Substance or Mixture

### **Classification (GHS-US)**

Flam. Liq. 4 H227 Skin Irrit. 2 H315 Eye Dam. 1 H318 Full text of H-phrases: see section 16

### 2.2. Label Elements

### **GHS-US Labeling**

**Hazard Pictograms (GHS-US)** 



GHS05

Signal Word (GHS-US) : Danger

Hazard Statements (GHS-US) : H227 - Combustible liquid.

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

Precautionary Statements (GHS-US) : P210 - Keep away from heat, sparks, open flames, hot surfaces. - No smoking.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling. P280 - Wear protective clothing, protective gloves, face protection, eye protection.

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a poison center or doctor. P321 - Specific treatment (see section 4 on this SDS).

P332+P313 - If skin irritation occurs: Get medical advice/attention. P362 - Take off contaminated clothing and wash before reuse.

P370+P378 - In case of fire: Use appropriate media (see section 5) to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container in accordance with local, regional, national,

and international regulations.

## 2.3. Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

## 2.4. Unknown Acute Toxicity (GHS-US)

No data available

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.1. Substance

Not applicable

### 3.2. Mixture

02/06/2015 EN (English US) 1/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Name                                      | Product Identifier  | %     | Classification (GHS-US)   |
|---|---------------------|-------|---------------------------|
| Alcohols, C8-10, ethoxylated propoxylated | (CAS No) 68603-25-8 | 10.29 | Acute Tox. 4 (Oral), H302 |
|   |                     |       | Skin Irrit. 2, H315       |
|   |                     |       | Eye Dam. 1, H318          |
| Isopropyl alcohol                         | (CAS No) 67-63-0    | 4.5   | Flam. Liq. 2, H225        |
|   |                     |       | Eye Irrit. 2A, H319       |
|   |                     |       | STOT SE 3, H336           |

Full text of H-phrases: see section 16

### **SECTION 4: FIRST AID MEASURES**

## 4.1. Description of First Aid Measures

**First-aid Measures General**: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**First-aid Measures After Inhalation**: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**First-aid Measures After Skin Contact**: Remove contaminated clothing. Gently wash with plenty of soap and water followed by rinsing with water for at least 15 minutes. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse.

**First-aid Measures After Eye Contact**: Rinse cautiously with water for at least 60 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Seek medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms/Injuries:** Causes serious eye damage. Causes skin irritation. **Symptoms/Injuries After Inhalation:** May cause respiratory irritation.

Symptoms/Injuries After Skin Contact: Causes skin irritation.

**Symptoms/Injuries After Eye Contact:** Causes serious eye damage.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

### If a conserved an arrange of the state of th

If exposed or concerned, get medical advice and attention.

### **SECTION 5: FIRE-FIGHTING MEASURES**

## 5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, dry chemical, foam, carbon dioxide.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: COMBUSTIBLE LIQUID AND VAPOR.

**Explosion Hazard:** May form flammable/explosive vapor-air mixture.

Reactivity: Hazardous reactions are not expected to occur under normal conditions.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures**: Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray. Do not allow product to spread into the environment. Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

### 6.1.1. For Non-emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

## **6.1.2.** For Emergency Responders

**Protective Equipment:** Equip cleanup crew with proper protection. **Emergency Procedures:** Ventilate area. Stop leak if safe to do so.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

## 6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

02/06/2015 EN (English US) 2/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methods for Cleaning Up: Clear up spills immediately and dispose of waste safely. Do not take up in combustible material such as: saw dust or cellulosic material. Absorb and/or contain spill with inert material, then place in suitable container. Contact competent authorities after a spill.

### **Reference to Other Sections**

See heading 8, Exposure Controls and Personal Protection.

## **SECTION 7: HANDLING AND STORAGE**

### **Precautions for Safe Handling**

Additional Hazards When Processed: When heated to decomposition, emits toxic fumes. Flammable vapors can accumulate in head space of closed systems.

**Precautions for Safe Handling:** Do NOT breathe (vapors, mist, spray).

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from extremely high or low temperatures, ignition sources, and incompatible materials.

Incompatible Products: Strong acids, strong bases, strong oxidizers.

### Specific End Use(s)

Rinse aid in commercial dish washer. For professional use only.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), or OSHA (PEL).

| Isopropyl alcohol (67-63-0) |                          |  |
|-----------------------------|--------------------------|--|
| USA ACGIH                   | ACGIH TWA (ppm)          | 200 ppm                                |
| USA ACGIH                   | ACGIH STEL (ppm)         | 400 ppm                                |
| USA ACGIH                   | ACGIH chemical category  | Not Classifiable as a Human Carcinogen |
| USA NIOSH                   | NIOSH REL (TWA) (mg/m³)  | 980 mg/m³                              |
| USA NIOSH                   | NIOSH REL (TWA) (ppm)    | 400 ppm                                |
| USA NIOSH                   | NIOSH REL (STEL) (mg/m³) | 1225 mg/m³                             |
| USA NIOSH                   | NIOSH REL (STEL) (ppm)   | 500 ppm                                |
| USA IDLH                    | US IDLH (ppm)            | 2000 ppm (10% LEL)                     |
| USA OSHA                    | OSHA PEL (TWA) (mg/m³)   | 980 mg/m³                              |
| USA OSHA                    | OSHA PEL (TWA) (ppm)     | 400 ppm                                |

### **Exposure Controls** 8.2.

**Appropriate Engineering Controls** 

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

**Personal Protective Equipment** 

: Protective goggles. Insufficient ventilation: wear respiratory protection. Protective clothing. Gloves. Face shield.



**Materials for Protective Clothing** 

: Chemically resistant materials and fabrics. Flame retardant antistatic protective

**Hand Protection** 

: Wear chemically resistant protective gloves.

**Eye Protection** 

: Chemical goggles or face shield.

**Skin and Body Protection** 

: Wear suitable protective clothing.

**Respiratory Protection** 

: Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

Other Information : When using, do not eat, drink or smoke.

02/06/2015 EN (English US) 3/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on Basic Physical and Chemical Properties

Physical State: LiquidAppearance: Blue, clearOdor: Slight alcoholOdor Threshold: No data available

**pH** : 7

**Evaporation Rate** : No data available **Melting Point** : No data available **Freezing Point** : No data available **Boiling Point** : No data available : 142 °F (61.11 °C) Flash Point **Auto-ignition Temperature** : No data available **Decomposition Temperature** : No data available Flammability (solid, gas) : No data available : No data available **Vapor Pressure** Relative Vapor Density at 20 °C : No data available **Relative Density** : No data available

Specific Gravity: 1.09Solubility: Water: TotalPartition Coefficient: N-Octanol/Water: No data availableViscosity: No data available

**9.2.** Other Information No additional information available

## **SECTION 10: STABILITY AND REACTIVITY**

- 10.1. Reactivity: Hazardous reactions are not expected to occur under normal conditions.
- **10.2. Chemical Stability:** Stable at standard temperature and pressure.
- 10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid: Direct sunlight. Extremely high or low temperatures. Ignition sources. Incompatible materials.
- **10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers.
- 10.6. Hazardous Decomposition Products: Carbon oxides (CO, CO2). May release flammable gases.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information On Toxicological Effects

Acute Toxicity: Not classified

| Isopropyl alcohol (67-63-0)                            |                                  |  |
|--|----------------------------------|--|
| LD50 Oral Rat  | 4710 mg/kg                       |  |
| LD50 Dermal Rabbit                                     | 4059 mg/kg                       |  |
| LC50 Inhalation Rat                                    | 72600 mg/m³ (Exposure time: 4 h) |  |
| Alcohols, C8-10, ethoxylated propoxylated (68603-25-8) |                                  |  |
| LD50 Oral Rat  | 616 mg/kg                        |  |
| LD50 Dermal Rabbit                                     | 5660 mg/kg                       |  |

**Skin Corrosion/Irritation:** Causes skin irritation.

**pH**: 7

Serious Eye Damage/Irritation: Causes serious eye damage.

**pH**: 7

Respiratory or Skin Sensitization: Not classified

**Germ Cell Mutagenicity:** Not classified **Carcinogenicity:** Not classified

| Isopropyl alcohol (67-63-0) |   |
|-----------------------------|---|
| IARC group                  | 3 |

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

02/06/2015 EN (English US) 4/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific Target Organ Toxicity (Repeated Exposure): Not classified

**Aspiration Hazard:** Not classified

Symptoms/Injuries After Inhalation: May cause respiratory irritation.

Symptoms/Injuries After Skin Contact: Causes skin irritation.
Symptoms/Injuries After Eye Contact: Causes serious eye damage.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

## **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

| Isopropyl alcohol (67-63-0)    |   |
|--------------------------------|---|
| LC50 Fish 1                    | 9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
| EC50 Daphnia 1                 | 13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)                     |
| EC50 Other Aquatic Organisms 1 | 1000 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)            |
| LC 50 Fish 2                   | 11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])      |
| EC50 Other Aquatic Organisms 2 | 1000 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)            |

### 12.2. Persistence and Degradability

| Rinse Aid                     |                  |
|-------------------------------|------------------|
| Persistence and Degradability | Not established. |

### 12.3. Bioaccumulative Potential

| Rinse Aid                                  |                 |
|--|-----------------|
| Bioaccumulative Potential Not established. |                 |
| Isopropyl alcohol (67-63-0)                |                 |
| Log Pow                                    | 0.05 (at 25 °C) |

12.4. Mobility in Soil No additional information available

### 12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

## 13.1. Waste treatment methods

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

**Additional Information:** Container may remain hazardous when empty, take appropriate precautions. Flammable vapors may accumulate in containers take appropriate precautions.

### **SECTION 14: TRANSPORT INFORMATION**

## 14.1. In Accordance with DOT

Proper Shipping Name : COMBUSTIBLE LIQUID, N.O.S. (Isopropyl alcohol)

Identification Number: NA1993Packing Group: IIIERG Number: 154

14.2. In Accordance with IMDG Not regulated for transport14.3. In Accordance with IATA Not regulated for transport

## **SECTION 15: REGULATORY INFORMATION**

### 15.1 US Federal Regulations

| Rinse Aid   |  |
|---|--|
| ARA Section 311/312 Hazard Classes Fire hazard                            |  |
|   | Immediate (acute) health hazard  |
| Isopropyl alcohol (67-63-0)   |  |
| Listed on the United States TSCA (Toxic Substance                         | s Control Act) inventory   |
| Listed on United States SARA Section 313                                  |  |
| EPA TSCA Regulatory Flag  | T - T - indicates a substance that is the subject of a Section 4 test rule |
|   | under TSCA.  |
| SARA Section 313 - Emission Reporting                                     | 1.0 % (only if manufactured by the strong acid process, no supplier        |
|   | notification)  |
| Alcohols, C8-10, ethoxylated propoxylated (6860)                          | 3-25-8)  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |

02/06/2015 EN (English US) 5/7

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 15.2 US State Regulations

### Isopropyl alcohol (67-63-0)

- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Acute
- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Chronic
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Connecticut Volatile Substances
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- RTK U.S. Massachusetts Right To Know List
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Occupational Exposure Limits STELs
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits STELs
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New York Occupational Exposure Limits TWAs
- U.S. North Dakota Air Pollutants Guideline Concentrations 1-Hour
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. Oregon Permissible Exposure Limits TWAs
- RTK U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 1-Hour
- U.S. Tennessee Occupational Exposure Limits STELs
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas City of Austin Aerosol Paint and Glue Restrictions
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Vermont Permissible Exposure Limits STELs
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs

### Alcohols, C8-10, ethoxylated propoxylated (68603-25-8)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** : 02/06/2015

Other Information : This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29 CFR

1910.1200.

### **GHS Full Text Phrases:**

| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4              |
|---------------------|---|
| Eye Dam. 1          | Serious eye damage/eye irritation Category 1  |
| Eye Irrit. 2A       | Serious eye damage/eye irritation Category 2A |
| Flam. Liq. 2        | Flammable liquids Category 2                  |
| Flam. Liq. 4        | Flammable liquids Category 4                  |
| Skin Irrit. 2       | Skin corrosion/irritation Category 2          |

02/06/2015 EN (English US) 6/7

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
|-----------|---|
| H225      | Highly flammable liquid and vapor                           |
| H227      | Combustible liquid  |
| H302      | Harmful if swallowed  |
| H315      | Causes skin irritation                                      |
| H318      | Causes serious eye damage                                   |
| H319      | Causes serious eye irritation                               |
| H336      | May cause drowsiness or dizziness                           |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)

02/06/2015 EN (English US) 7/7