

SUPERSOURCE Laundry Soft and Fresh

Safety Data Sheet According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 06/02/2015 Date of issue: 06/02/2015

SECTION 1: IDENTIFICATION

1.1. **Product Identifier** Product Form: Mixture

Product Name: Laundry Soft and Fresh

Intended Use of the Product 1.2.

Use of the substance/mixture: Additive for Commerical Laundry. For professional use only

1.3. Name, Address, and Telephone of the Responsible Party

Company

Atlanta Super Source, Inc. 3655 Kennesaw 75 Parkway, Suite 100 Kennesaw, GA 30144 770-423-0006

1.4. **Emergency Telephone Number**

Emergency Number

: 800-424-9300 CHEMTREC

SECTION 2: HAZARDS IDENTIFICATION 2.1. **Classification of the Substance or Mixture Classification (GHS-US)** Skin Irrit. 2 H315 Eye Irrit. 2A H319 Aquatic Chronic 3 H412

Full text of H-phrases: see section 16

2.2.

| 2.2. Label Elements GHS-US Labeling | |
|--|--|
| Hazard Pictograms (GHS-US) | : (H507 |
| Signal Word (GHS-US) | : Warning |
| Hazard Statements (GHS-US) | H315 - Causes skin irritation. H319 - Causes serious eye irritation. H412 - Harmful to aquatic life with long lasting effects. |
| Precautionary Statements (GHS-US) | P264 - Wash hands, forearms, and other exposed areas thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, and eye protection. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 - Specific treatment (see section 4 on this SDS). P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362 - Take off contaminated clothing and wash it before reuse. |

P501 - Dispose of contents/container in accordance with local, regional, national,

2.3. **Other Hazards**

No additional information available

2.4. Unknown Acute Toxicity (GHS-US)

No data available

| SECTION 3: COMPOSITION/IN | FORMATION ON INGREDIENTS | | |
|---------------------------|--------------------------|----|-------------------------|
| 3.1. Substance | | | |
| Not applicable | | | |
| 3.2. Mixture | | | |
| Name | Product Identifier | % | Classification (GHS-US) |
| Water | (CAS No) 7732-18-5 | 85 | Not classified |

and international regulations.

Version: 1.0

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Imidazolium compounds, 4,5-dihydro-1-methyl- 2-nortallow alkyl-1-(2-tallow amidoethyl), methyl sulfates | (CAS No) 68122-86-1 | 11.5 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Chronic 2, H411 |
|---|---------------------|------|---|
| Hydroxyacetic acid | (CAS No) 79-14-1 | 2.5 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402 |
| Isopropyl alcohol | (CAS No) 67-63-0 | 1 | Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336 |

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

First-aid Measures After Skin Contact: Remove contaminated clothing. Gently wash with plenty of soap and water followed by rinsing with water for at least 15 minutes. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse.

First-aid Measures After Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: Causes eye irritation. Causes skin irritation.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Causes skin irritation. Symptoms may include: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/Injuries After Eye Contact: Causes eye irritation. Symptoms may include: redness, pain, swelling, itching, burning, tearing, and blurred vision.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Product is not flammable.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions are not expected to occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. Do not breathe fumes from fires or vapors from decomposition.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection. **Other Information:** Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all contact with skin, eyes, or clothing. Do not breathe vapor, mist or spray.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Evacuate unnecessary personnel. Eliminate ignition sources. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Contact competent authorities after a spill.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. **Methods for Cleaning Up:** Absorb and/or contain spill with inert material, then place in suitable container. Clean up spills immediately and dispose of waste safely. Absorb spillage to prevent material damage.

6.4. Reference to Other Sections

See Section 8, Exposure Controls and Personal Protection. See Section 13, Disposal Considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool, and well-ventilated place. Keep container closed when not in use.

Incompatible Products: Strong acids. Strong bases. Strong oxidizers. Water reactive materials.

7.3. Specific End Use(s)

Additive for Commerical Laundry. For professional use only

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), or OSHA (PEL).

| Isopropyl alc | ohol (67-63-0) | |
|---------------|---------------------------------------|--|
| USA ACGIH | ACGIH TWA (ppm) | 200 ppm |
| USA ACGIH | ACGIH STEL (ppm) | 400 ppm |
| USA ACGIH | ACGIH chemical category | Not Classifiable as a Human Carcinogen |
| USA NIOSH | NIOSH REL (TWA) (mg/m³) | 980 mg/m³ |
| USA NIOSH | NIOSH REL (TWA) (ppm) | 400 ppm |
| USA NIOSH | NIOSH REL (STEL) (mg/m ³) | 1225 mg/m³ |
| USA NIOSH | NIOSH REL (STEL) (ppm) | 500 ppm |
| USA IDLH | US IDLH (ppm) | 2000 ppm (10% LEL) |
| USA OSHA | OSHA PEL (TWA) (mg/m³) | 980 mg/m³ |
| USA OSHA | OSHA PEL (TWA) (ppm) | 400 ppm |

8.2. Exposure Controls

Appropriate Engineering Controls

- : Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or mists below the applicable workplace exposure limits. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.
- : Gloves. Protective goggles. Protective clothing. Insufficient ventilation: wear respiratory protection. Face shield.



- : Chemically resistant materials and fabrics.
- : Wear chemically resistant protective gloves.
- : Chemical safety goggles.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Skin and Body Protection | : Wear suitable protective clothing. |
|--|--|
| Respiratory Protection | : If exposure limits are exceeded or irritation is experienced, approved respiratory |
| | protection should be worn. |
| Environmental Exposure Controls | : Do not allow the product to be released into the environment. |
| Consumer Exposure Controls | : Do not eat, drink, or smoke during use. |
| Other Information | : When using, do not eat, drink, or smoke. |
| SECTION 9: PHYSICAL AND CHEMIC | |
| 9.1. Information on Basic Physica | l and Chemical Properties |
| Physical State | : Liquid |
| Appearance | : Opaque, White |
| Odor | : None |
| Odor Threshold | : No data available |
| рН | : 2.1 |
| Evaporation Rate | : No data available |
| Melting Point | : No data available |
| Freezing Point | : No data available |
| Boiling Point | : No data available |
| Flash Point | : 210 °C (410 °F) |
| Auto-ignition Temperature | : No data available |
| Decomposition Temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapor Pressure | : No data available |
| Relative Vapor Density at 20 °C | : No data available |
| Relative Density | : No data available |
| Specific Gravity | : 0.97 |
| Solubility | : Water: Complete. |
| Partition Coefficient: N-Octanol/Water | : No data available |
| Viscosity | : No data available |
| 0.2 Other Information Ne addition | nal information available |

9.2. Other Information No additional information available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity: Hazardous reactions are not expected to occur under normal conditions.

10.2. Chemical Stability: Stable under normal ambient conditions.

10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

10.4. Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials: Strong acids, strong bases, strong oxidizers. Water reactive materials.

10.6. Hazardous Decomposition Products: Thermal decomposition generates: Carbon oxides (CO, CO2). Sulfur oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information On Toxicological Effects

Acute Toxicity: Not classified

| Water (7732-18-5) | | |
|---|-----------------------------------|--|
| LD50 Oral Rat | > 90000 mg/kg | |
| Isopropyl alcohol (67-63-0) | | |
| LD50 Oral Rat | 4710 mg/kg | |
| LD50 Dermal Rabbit | 4059 mg/kg | |
| LC50 Inhalation Rat | 72.6 mg/l/4h (Exposure time: 4 h) | |
| Hydroxyacetic acid (79-14-1) | | |
| LD50 Oral Rat | 1950 mg/kg | |
| LC50 Inhalation Rat | 3.6 mg/l/4h | |
| ATE (Dust/Mist) | 1.76 mg/l/4h | |
| Imidazolium compounds, 4,5-dihydro-1-methyl-2-nortallow alkyl-1-(2-tallow amidoethyl), methyl sulfates (68122-86-1) | | |
| LD50 Oral Rat | 21600 mg/kg | |

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin Corrosion/Irritation: Causes skin irritation.

pH: 2.1

Serious Eye Damage/Irritation: Causes serious eye irritation.

pH: 2.1

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

| Isopropyl alcohol (67-63-0) | |
|-----------------------------|---|
| IARC group | 3 |

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Causes skin irritation. Symptoms may include: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/Injuries After Eye Contact: Causes eye irritation. Symptoms may include: redness, pain, swelling, itching, burning, tearing, and blurred vision.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecology - General

: Harmful to aquatic life with long lasting effects.

| Isopropyl alcohol (67-63-0) | |
|--------------------------------|---|
| LC50 Fish 1 | 9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
| EC50 Daphnia 1 | 13299 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| EC50 Other Aquatic Organisms 1 | 1000 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus) |
| LC 50 Fish 2 | 11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |
| EC50 Other Aquatic Organisms 2 | 1000 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) |
| Hydroxyacetic acid (79-14-1) | |
| LC50 Fish 1 | > 5000 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) |
| EC50 Daphnia 1 | 44 mg/l |
| | |

12.2. Persistence and Degradability

Laundry Soft and Fresh

| Persistence and Degradability | Not established. | |
|---------------------------------|------------------|--|
| 12.3. Bioaccumulative Potential | | |
| Laundry Soft and Fresh | | |
| Bioaccumulative Potential | Not established. | |
| Isopropyl alcohol (67-63-0) | | |
| Log Pow | 0.05 (at 25 °C) | |
| Hydroxyacetic acid (79-14-1) | | |
| Log Pow | -1.11 (at 19 °C) | |

12.4. Mobility in Soil No additional information available

12.5. Other Adverse Effects

Other Information

: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Sewage Disposal Recommendations: Do not empty into drains; dispose of this material and its container in a safe way. Waste Disposal Recommendations: Dispose of contents and container according to local, regional, national, and international regulations.

SECTION 14: TRANSPORT INFORMATION

14.1. In Accordance with DOT Not regulated for transport

14.2. In Accordance with IMDG Not regulated for transport

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.3. In Accordance with IATA Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

| Laundry Soft and Fresh | |
|---|--|
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard |
| Water (7732-18-5) | |
| Listed on the United States TSCA (Toxic Substance | s Control Act) inventory |
| Isopropyl alcohol (67-63-0) | |
| Listed on the United States TSCA (Toxic Substance | s Control Act) inventory |
| Listed on United States SARA Section 313 | |
| EPA TSCA Regulatory Flag | T - T - indicates a substance that is the subject of a Section 4 test rule |
| | under TSCA. |
| SARA Section 313 - Emission Reporting | 1.0 % (only if manufactured by the strong acid process, no supplier |
| | notification) |
| Hydroxyacetic acid (79-14-1) | |
| Listed on the United States TSCA (Toxic Substance | s Control Act) inventory |
| Imidazolium compounds, 4,5-dihydro-1-methyl-2 | 2-nortallow alkyl-1-(2-tallow amidoethyl), methyl sulfates (68122-86-1) |

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2 US State Regulations

Isopropyl alcohol (67-63-0)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date

Other Information

: 06/02/2015
 : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

| Acute Tox. 4 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 4 |
|-------------------------------------|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4 |
| Aquatic Acute 3 | Hazardous to the aquatic environment - Acute Hazard Category 3 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment - Chronic Hazard Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment - Chronic Hazard Category 3 |
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Flam. Liq. 2 | Flammable liquids Category 2 |
| Skin Corr. 1B | Skin corrosion/irritation Category 1B |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H225 | Highly flammable liquid and vapor |
| H302 | Harmful if swallowed |
| H314 | Causes severe skin burns and eye damage |
| H315 | Causes skin irritation |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H332 | Harmful if inhaled |
| H336 | May cause drowsiness or dizziness |
| H402 | Harmful to aquatic life |
| H411 | Toxic to aquatic life with long lasting effects |
| H412 | Harmful to aquatic life with long lasting effects |

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)