

# SuperSource Premium Gold Pot and Pan Detergent

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 12/22/2014 Date of issue: 12/08/2014

Version: 2.0

### **SECTION 1: IDENTIFICATION**

# 1.1. Product Identifier Product Form: Mixture

Product Name: Premium Gold Pot and Pan Detergent

### 1.2. Intended Use of the Product

Use of the substance/mixture: General Cleaning in Food Service and Hospitality. For professional use only.

### 1.3. Name, Address, and Telephone of the Responsible Party

### Company

Atlanta Super Source, Inc.

3655 Kennesaw 75 Parkway, Suite 100

Kennesaw, GA 30144

770-423-0006

### 1.4. Emergency Telephone Number

Emergency Number : 800-424-9300 CHEMTREC

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the Substance or Mixture

### **Classification (GHS-US)**

Skin Irrit. 2 H315
Eye Dam. 1 H318
Aquatic Acute 3 H402
Aquatic Chronic 3 H412
Full text of H-phrases: see section 16

### 2.2. Label Elements

### **GHS-US Labeling**

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) : Danger

Hazard Statements (GHS-US) : H315 - Causes skin irritation.

H318 - Causes serious eye damage. H402 - Harmful to aquatic life.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statements (GHS-US) : P264 - Wash hands, forearms, and exposed areas thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective clothing, protective gloves, eye protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or a doctor.

P321 - Specific treatment (see Section 4).

P332+P313 - If skin irritation occurs: Get medical advice/attention. P362 - Take off contaminated clothing and wash before reuse.

P501 - Dispose of contents/container in accordance with local, regional, national,

and international regulations.

## 2.3. Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.1. Substance

Not applicable

## 3.2. Mixture

12/22/2014 EN (English US) 1/8

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product Identifier	%	Classification (GHS-US)
Water	(CAS No) 7732-18-5	84.31	Not classified
Dodecylbenzenesulfonic acid	(CAS No) 27176-87-0	9.72	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 2, H401
Poly(oxy-1,2-ethanediyl), .alphasulfoomega (dodecyloxy)-, sodium salt	(CAS No) 9004-82-4	3.75	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Sodium hydroxide	(CAS No) 1310-73-2	1.19	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402
Alanine, N,N-bis(carboxymethyl)-, trisodium salt	(CAS No) 164462-16-2	0.32	Not classified
Amines, N,N,N'-trimethyl-N'-tallow alkyltrimethylenedi-, reaction products with sodium 2-chloroacetate (1:1)	(CAS No) 313688-92-5	0.32	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Terpenes and Terpenoids, sweet orange-oil	(CAS No) 68647-72-3	0.08215	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium sulfate	(CAS No) 7757-82-6	0.08	Skin Sens. 1, H317
Terpene hydrocarbons, n.o.s.	(CAS No) 68956-56-9	0.076125	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Terpenes and Terpenoids, lemon-oil	(CAS No) 68917-33-9	0.0741075	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Sodium chloride	(CAS No) 7647-14-5	0.06	Not classified
Citral	(CAS No) 5392-40-5	0.002975	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Aquatic Acute 2, H401

Full text of H-phrases: see section 16

## **SECTION 4: FIRST AID MEASURES**

### **Description of First Aid Measures**

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).

First-aid Measures After Inhalation: If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid Measures After Skin Contact: Remove contaminated clothing. Gently wash with plenty of soap and water followed by rinsing with water for at least 15 minutes. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse.

12/22/2014 EN (English US) 2/8

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid Measures After Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 60 minutes. Immediately call a POISON CENTER or doctor/physician.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: Causes serious eye damage. Causes skin irritation. Symptoms/Injuries After Inhalation: May cause respiratory irritation.

Symptoms/Injuries After Skin Contact: Causes skin irritation. Symptoms/Injuries After Eye Contact: Causes serious eye damage.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

#### Indication of Any Immediate Medical Attention and Special Treatment Needed 4.3.

If medical advice is needed, have product container or label at hand.

## **SECTION 5: FIRE-FIGHTING MEASURES**

### 5.1. **Extinguishing Media**

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable. Poisonous gases may be produced in fire. May give off SO<sub>3</sub>, SO<sub>2</sub>, and hydrogen sulfide.

**Explosion Hazard:** Product is not explosive.

Reactivity: Reacts exothermically with (some) acids.

### 5.3. **Advice for Firefighters**

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Do not allow run-off from fire fighting to enter drains or water courses.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all eye and skin contact and do not breathe vapor and mist.

### 6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

## 6.1.2. For Emergency Responders

**Protective Equipment:** Equip cleanup crew with proper protection. **Emergency Procedures:** Ventilate area. Stop leak if safe to do so.

### 6.2. **Environmental Precautions**

Prevent entry to sewers and public waters.

### Methods and Material for Containment and Cleaning Up

For Containment: Absorb and/or contain spill with inert material, then place in suitable container.

**Methods for Cleaning Up:** Clear up spills immediately and dispose of waste safely.

#### 6.4. **Reference to Other Sections**

See heading 8, Exposure Controls and Personal Protection. For further information refer to section 13.

## **SECTION 7: HANDLING AND STORAGE**

### **Precautions for Safe Handling** 7.1.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

## Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Incompatible Products: strong acids. Strong oxidizers.

### Specific End Use(s)

General Cleaning in Food Service and Hospitality. For professional use only.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), or OSHA (PEL).

12/22/2014 EN (English US) 3/8

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Citral (5392-40-5)			
USA ACGIH	ACGIH TWA (ppm)	5 ppm (inhalable fraction and vapor)	
Sodium hydr	oxide (1310-73-2)		
USA ACGIH	ACGIH Ceiling (mg/m³)	2 mg/m³	
USA NIOSH	NIOSH REL (ceiling) (mg/m³)	2 mg/m³	
USA IDLH	US IDLH (mg/m³)	10 mg/m <sup>3</sup>	
USA OSHA	OSHA PEL (TWA) (mg/m³)	2 mg/m³	

8.2. **Exposure Controls** 


**Personal Protective Equipment** 

**Appropriate Engineering Controls** : Ensure all national/local regulations are observed. Ensure adequate ventilation,

especially in confined areas. Emergency eye wash fountains and safety showers

should be available in the immediate vicinity of any potential exposure.

Protective clothing. Gloves. Protective goggles. Insufficient ventilation: wear











**Materials for Protective Clothing** 

: Chemically resistant materials and fabrics. : Wear chemically resistant protective gloves.

**Hand Protection Eye Protection** 

: Chemical safety goggles.

**Skin and Body Protection** 

: Wear suitable protective clothing.

**Respiratory Protection** Use a NIOSH-approved respirator or self-contained breathing apparatus whenever

exposure may exceed established Occupational Exposure Limits.

**Other Information** : When using, do not eat, drink or smoke.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### **Information on Basic Physical and Chemical Properties** 9.1.

**Physical State** : Liquid

**Appearance** Yellow/Gold Odor Lemon

**Odor Threshold** : No data available

μH : 9 (max)

**Evaporation Rate** No data available **Melting Point** : No data available **Freezing Point** : No data available **Boiling Point** 219 °C (426.2 °F)

**Flash Point** : 340 - 350 °F (171.1 - 176.7 °C)

**Auto-ignition Temperature** : No data available : No data available **Decomposition Temperature** Flammability (solid, gas) : No data available : No data available Vapor Pressure Relative Vapor Density at 20 °C : No data available **Relative Density** No data available Solubility : Complete

**Partition Coefficient: N-Octanol/Water** : No data available Viscosity No data available

9.2. Other Information No additional information available

## **SECTION 10: STABILITY AND REACTIVITY**

- 10.1. **Reactivity:** Reacts exothermically with (some) acids.
- 10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

12/22/2014 EN (English US) 4/8

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- 10.4. **Conditions to Avoid:** Direct sunlight. Extremely high or low temperatures.
- 10.5. Incompatible Materials: Strong acids, strong bases, strong oxidizers.
- 10.6. Hazardous Decomposition Products: Carbon oxides (CO, CO<sub>2</sub>). Nitrogen compounds. Sodium oxides. Sulfur compounds.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### **Information On Toxicological Effects**

Acute Toxicity: Not classified

/		
Water (7732-18-5)		
LD50 Oral Rat	> 90000 mg/kg	
Citral (5392-40-5)		
LD50 Oral Rat	4950 mg/kg	
LD50 Dermal Rabbit	2250 mg/kg	
Poly(oxy-1,2-ethanediyl), .alphasulfoomega(dodecyloxy)-, sodium salt (9004-82-4)		
LD50 Oral Rat	1600 mg/kg	
Sodium sulfate (7757-82-6)		
LD50 Oral Rat	> 10000 mg/kg	
Dodecylbenzenesulfonic acid (27176-87-0)		
LD50 Oral Rat	1260 mg/kg	
Amines, N,N,N'-trimethyl-N'-tallow alkyltrimethylenedi-, reaction products with sodium 2-chloroacetate (1:1) (313688-92-5)		
ATE (Oral)	500.00 mg/kg body weight	
Sodium chloride (7647-14-5)		
LD50 Oral Rat	3 g/kg	
LC50 Inhalation Rat	> 42 g/m³ (Exposure time: 1 h)	

**Skin Corrosion/Irritation:** Causes skin irritation.

**pH**: 9 (max)

Serious Eye Damage/Irritation: Causes serious eye damage.

**pH:** 9 (max)

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: May cause respiratory irritation.

Symptoms/Injuries After Skin Contact: Causes skin irritation. Symptoms/Injuries After Eye Contact: Causes serious eye damage.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

### **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

**Ecology - General** : Harmful to aquatic life.

Citral (5392-40-5)		
EC50 Daphnia 1	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Terpene hydrocarbons, n.o.s. (68956-56-9)		
LC50 Fish 1	5.07 mg/l	
EC50 Daphnia 1	2.7 mg/l	
ErC50 (algae)	3.081 mg/l	
Sodium hydroxide (1310-73-2)		
LC50 Fish 1	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
EC50 Daphnia 1	40 mg/l	
Poly(oxy-1,2-ethanediyl), .alphasulfoomega(dodecyloxy)-, sodium salt (9004-82-4)		
EC50 Other Aquatic Organisms 1	3.12 (2.43 - 4.01) mg/l (Species Ceriodaphnia, exposure time: 48 hr)	

12/22/2014 5/8 EN (English US)

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium sulfate (7757-82-6)		
LC50 Fish 1	13500 (13500 - 14500) mg/l (Exposure time: 96 h - Species: Pimephales promelas)	
EC50 Daphnia 1	2564 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC 50 Fish 2	> 6800 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
Dodecylbenzenesulfonic acid (27176-87-0	)	
LC50 Fish 1	10.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
EC50 Daphnia 1	5.88 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC 50 Fish 2	3.5 - 10 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])	
Sodium chloride (7647-14-5)		
LC50 Fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])	
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC 50 Fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 2	340.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	

### 12.2. **Persistence and Degradability**

Premium Gold Pot and Pan Detergent	
Persistence and Degradability	Not established.

#### 12.3. **Bioaccumulative Potential**

Premium Gold Pot and Pan Detergent		
Bioaccumulative Potential	Not established.	
Citral (5392-40-5)		
Log Pow	2.76 (at 25 °C)	
Dodecylbenzenesulfonic acid (27176-87-0)		
BCF fish 1	130	
Sodium chloride (7647-14-5)		
BCF fish 1	(no bioaccumulation)	

#### 12.4. Mobility in Soil No additional information available

#### 12.5. **Other Adverse Effects**

**Other Information** : Avoid release to the environment.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

### Waste treatment methods **13.1.**

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

## **SECTION 14: TRANSPORT INFORMATION**

14.1. In Accordance with DOT Not regulated for transport 14.2. In Accordance with IMDG Not regulated for transport 14.3. In Accordance with IATA Not regulated for transport

## **SECTION 15: REGULATORY INFORMATION**

### **US Federal Regulations** 15.1

Premium Gold Pot and Pan Detergent		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
Water (7732-18-5)		
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory	
Citral (5392-40-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Terpenes and Terpenoids, sweet orange-oil (68647-72-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Terpenes and Terpenoids, lemon-oil (68917-33-9)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Terpene hydrocarbons, n.o.s. (68956-56-9)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

12/22/2014 EN (English US) 6/8

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Sodium hydroxide (1310-73-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-(dodecyloxy)-, sodium salt (9004-82-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Sodium sulfate (7757-82-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Dodecylbenzenesulfonic acid (27176-87-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Sodium chloride (7647-14-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Alanine, N,N-bis(carboxymethyl)-, trisodium salt (164462-16-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2 **US State Regulations**

### Sodium hydroxide (1310-73-2)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

### Sodium sulfate (7757-82-6)

- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

### Dodecylbenzenesulfonic acid (27176-87-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** : 12/22/2014

Other Information This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29 CFR

1910.1200.

### **GHS Full Text Phrases:**

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
Flam. Liq. 3	Flammable liquids Category 3
Flam. Liq. 4	Flammable liquids Category 4
Met. Corr. 1	Corrosive to metals Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
Skin Sens. 1B	Skin sensitization Category 1B

12/22/2014 EN (English US) 7/8

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H227	Combustible liquid
H290	May be corrosive to metals
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)

12/22/2014 EN (English US) 8/8