

# SuperSource Stainless Steel Polish

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 03/19/2015 Date of issue: 03/19/2015

Version: 1.0

### **SECTION 1: IDENTIFICATION**

# 1.1. Product Identifier Product Form: Mixture

Product Name: Stainless Steel Polish

1.2. Intended Use of the Product

Use of the substance/mixture: General Cleaning in Food Service and Hospitality. For professional use only.

## 1.3. Name, Address, and Telephone of the Responsible Party

#### Company

Atlanta Super Source, Inc.

3655 Kennesaw 75 Parkway, Suite 100

Kennesaw, GA 30144

770-423-0006

### 1.4. Emergency Telephone Number

Emergency Number : 800-424-9300 CHEMTREC

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the Substance or Mixture

### **Classification (GHS-US)**

Skin Sens. 1 H317 Aquatic Chronic 3 H412 Full text of H-phrases: see section 16

### 2.2. Label Elements

### **GHS-US Labeling**

**Hazard Pictograms (GHS-US)** 



Signal Word (GHS-US) : Warning

**Hazard Statements (GHS-US)** : H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

**Precautionary Statements (GHS-US)** : P261 - Avoid breathing vapors, mist, or spray.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

P302+P352 - If on skin: Wash with plenty of water. P321 - Specific treatment (see section 4 on this SDS).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents/container in accordance with local, regional, national,

and international regulations.

### 2.3. Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

# 2.4. Unknown Acute Toxicity (GHS-US)

No data available

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product Identifier	%	Classification (GHS-US)
White mineral oil, petroleum	(CAS No) 8042-47-5	99.27	Asp. Tox. 1, H304

03/19/2015 EN (English US) 1/5

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

D-Limonene	(CAS No) 5989-27-5	0.7	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2H-1-Benzopyran-6-ol, 3,4-dihydro-2,5,7,8- tetramethyl-2-(4,8,12-trimethyltridecyl)-, [2R- [2R*(4R*,8R*)]]-	(CAS No) 59-02-9	0.03	Not classified

Full text of H-phrases: see section 16

### **SECTION 4: FIRST AID MEASURES**

### 4.1. Description of First Aid Measures

**First-aid Measures General**: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**First-aid Measures After Inhalation**: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**First-aid Measures After Skin Contact**: Remove contaminated clothing. Drench affected area with water for several minutes. Obtain medical attention if irritation develops or persists.

**First-aid Measures After Eye Contact**: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Seek medical attention immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms/Injuries:** May cause an allergic skin reaction.

Symptoms/Injuries After Inhalation: Overexposure may be irritating to the respiratory system.

**Symptoms/Injuries After Skin Contact:** Exposure may produce an allergic reaction. **Symptoms/Injuries After Eye Contact:** Direct contact with the eyes is likely irritating.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

# 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

### **SECTION 5: FIRE-FIGHTING MEASURES**

### 5.1. Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

Other Information: Refer to Section 9 for flammability properties.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapor, mist, spray).

### 6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

### **6.1.2.** For Emergency Responders

**Protective Equipment:** Equip cleanup crew with proper protection. **Emergency Procedures:** Stop leak if safe to do so. Ventilate area.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

03/19/2015 EN (English US) 2/5

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### 6.4. Reference to Other Sections

See Heading 8. Exposure controls and personal protection. For further disposal information refer to section 13.

### **SECTION 7: HANDLING AND STORAGE**

### 7.1. Precautions for Safe Handling

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Products: Strong acids. Strong bases. Strong oxidizers.

### 7.3. Specific End Use(s)

General Cleaning in Food Service and Hospitality. For professional use only.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), or OSHA (PEL).

White mine	ral oil, petroleum (8042-47-5)	
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m³ (mist)

# 8.2. Exposure Controls

**Appropriate Engineering Controls** : Emergency eye wash fountains should be available in the immediate vicinity of any

potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Use explosion-proof equipment.

Personal Protective Equipment : Protective goggles. Protective clothing. Gloves.







Materials for Protective Clothing: Chemically resistant materials and fabrics.Hand Protection: Wear chemically resistant protective gloves.

Eye Protection : Chemical goggles.

Skin and Body Protection : Wear suitable protective clothing.

**Respiratory Protection** : Use NIOSH-approved air-purifying or supplied-air respirator where airborne

concentrations of vapor or mist are expected to exceed exposure limits.

**Environmental Exposure Controls** : Avoid release to the environment. **Consumer Exposure Controls** : Do not eat, drink or smoke during use.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on Basic Physical and Chemical Properties

Physical State: LiquidAppearance: ClearOdor: Petroleum

**Odor Threshold** No data available : No data available pН **Evaporation Rate** No data available **Melting Point** : No data available **Freezing Point** : No data available **Boiling Point** : No data available **Flash Point** : 265 °F (129.44 °C) : No data available **Auto-ignition Temperature Decomposition Temperature** : No data available Flammability (solid, gas) : No data available

03/19/2015 EN (English US) 3/5

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapor Pressure: No data availableRelative Vapor Density at 20 °C: No data availableRelative Density: No data availableSolubility: Water: Non-SolublePartition Coefficient: N-Octanol/Water: No data availableViscosity: No data available

**9.2.** Other Information No additional information available

### SECTION 10: STABILITY AND REACTIVITY

- **10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid: Direct sunlight. Extremely high or low temperatures. Ignition sources. Incompatible materials.
- **10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers.
- 10.6. Hazardous Decomposition Products: Carbon oxides (CO, CO<sub>2</sub>).

### **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information On Toxicological Effects

Acute Toxicity: Not classified

White mineral oil, petroleum (8042-47-5)		
LD50 Oral Rat	> 5000 mg/kg	
D-Limonene (5989-27-5)		
LD50 Oral Rat	4400 mg/kg	
LD50 Dermal Rabbit	> 5 g/kg	

Skin Corrosion/Irritation: Not classified
Serious Eye Damage/Irritation: Not classified

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

**Germ Cell Mutagenicity:** Not classified **Carcinogenicity:** Not classified

D-Limonene (5989-27-5)	
IARC group	3
National Toxicology Program (NTP) Status	Evidence of Carcinogenicity.

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified Specific Target Organ Toxicity (Repeated Exposure): Not classified

**Aspiration Hazard:** Not classified

Symptoms/Injuries After Inhalation: Overexposure may be irritating to the respiratory system.

**Symptoms/Injuries After Skin Contact:** Exposure may produce an allergic reaction. **Symptoms/Injuries After Eye Contact:** Direct contact with the eyes is likely irritating.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

### **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecology - General** : This material is hazardous to the aquatic environment. Keep out of sewers and

waterways.

**Ecology - Water** : Harmful to aquatic life.

	· ·
White mineral oil, petroleum (8042-47-5)	
LC50 Fish 1	> 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
D-Limonene (5989-27-5)	
LC50 Fish 1	0.619 - 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-
	through])
LC 50 Fish 2	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

### 12.2. Persistence and Degradability No additional information available

# 12.3. Bioaccumulative Potential

03/19/2015 EN (English US) 4/5

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

White mineral oil, petroleum (8042-47-5)	
Log Pow	>6

- 12.4. Mobility in Soil No additional information available
- 12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

### 13.1. Waste treatment methods

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

### **SECTION 14: TRANSPORT INFORMATION**

- **14.1. In Accordance with DOT** Not regulated for transport **14.2. In Accordance with IMDG** Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport14.3. In Accordance with IATA Not regulated for transport

### **SECTION 15: REGULATORY INFORMATION**

### 15.1 US Federal Regulations

Stainless Steel Polish		
SARA Section 311/312 Hazard Classes Immediate (acute) health hazard		
White mineral oil, petroleum (8042-47-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
2H-1-Benzopyran-6-ol, 3,4-dihydro-2,5,7,8-tetramethy	yl-2-(4,8,12-trimethyltridecyl)-, [2R-[2R*(4R*,8R*)]]- (59-02-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
D-Limonene (5989-27-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

**15.2 US State Regulations** Neither this product nor its chemical components appear on any US state lists.

# SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** : 03/19/2015

Other Information : This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29 CFR

1910.1200.

### **GHS Full Text Phrases:**

Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
H226	Flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)

03/19/2015 EN (English US) 5/5